
EFFIZIENZFILTER

mit zwei-drei Leistungsschaltern

Typ:

EF250_L250_16_2 EF250_L320_16_2 EF250_L250_20_2 EF250_L320_20_2 EF250_L362_20_2 EF250_L250_25_2 EF250_L362_25_2 EF250_L362_25_2 EF250_L250_16_3

EF320_L320_16_2 EF320_L320_20_2 EF320_L400_20_2 EF320_L320_25_2 EF320_L400_25_2 EF320_L320_32_2 EF320_L400_32_2



TECHNISCHE DATEN UND MASSBLATT



Leistungsebene **2500A-3400A**

Filter Belastung				
1644 kW / 2500A				
1676 kW / 2550A	Bleibt der Filter zugeschaltet (Wirkung)			
1709 kW / 2600A				
1739 kW / 2645A	29 Std 17 min			
1752 kW / 2665A	7 Std 19 min			
1765 kW / 2685A	3 Std 15 min			
1778 kW / 2705A	1 Std 49 min			
1808 kW / 2750A	45 min			
1841 kW / 2800A	23 min			
1874 kW / 2850A	13 min			
1906 kW / 2900A	9 min			
1939 kW / 2950A	7min	geht nach dieser Zeit in den BYPASS		
1972 kW / 3000A	5 min			
2005 kW / 3050A	4 min			
2038 kW / 3100A	3 min			
2071 kW / 3150A	2 min 33 sec			
2104 kW / 3200A	2 min 8 sec			
2137 kW / 3250A	1 min 48 sec			
2169 kW / 3300A	1 min 33 sec			
2202 kW / 3350A	1 min 20 sec			
2235 kW / 3400A	1 min 10 sec			



Leistungsebene **3200A-4050A**

Filter Belastung				
2104 kW / 3200A				
2137 kW / 3250A	Bleibt der Filter zugeschaltet (Wirkung)			
2169 kW / 3300A				
2183 kW / 3320A	48 Std			
2196 kW / 3340A	12 Std			
2209 kW / 3360A	5 Std 20 min			
2222 kW / 3380A	3 Std			
2235 kW / 3400A	1 Std 55 min			
2268 kW / 3450A	51 min			
2301 kW / 3500A	29 min			
2334 kW / 3550A	18min			
2367 kW / 3600A	13 min	geht nach dieser		
2400 kW / 3650A	9 min	Zeit in den BYPASS		
2432 kW / 3700A	7 min			
2465 kW / 3750A	6 min			
2498 kW / 3800A	5 min			
2531 kW / 3850A	4 min			
2564 kW / 3900A	3 min			
2597 kW / 3950A	2 min 44 sec			
2630 kW / 4000A	2 min 21 sec			
2662 kW / 4050A	2 min			

ANSICHT FRONT/RÜCKSEITE

ANZEIGEPANEL

BYPASSSCHALTER


LIVARSA





LÜFTUNGSGITTER







LIVARSA

DATENLOGGER

SPS-STEUERUNG

BYPASSSCHALTER

MESSKLINIK





LEISTUNGSSCHALTER 1


STERNPUNKTSCHÜTZE


LEISTUNGSSCHALTER 2

FILTEREINHEIT
















KABELANSCHLÜSSE ZUR NSHV





























Mit 2-3 Leistungsschaltern


Artikel-Nr	Filter	Leistungsschalter	Maße B/H/T	Gewicht	Icw Filter	Icu Schalter
EF250_L250_16_2	2500A	2 x LS 1600A	2425/2237,5/1120 mm	2070 kg	65kA	50kA
EF250_L320_16_2	2500A	2 x LS 1600A	2425/2237,5/1120 mm	2110 kg	65kA	50kA
EF250_L250_20_2	2500A	2 x LS 2000A	2425/2237,5/1120 mm	2180 kg	65kA	42kA
EF250_L320_20_2	2500A	2 x LS 2000A	2425/2237,5/1120 mm	2190 kg	65kA	42kA
EF250_L362_20_2	2500A	2 x LS 2000A	2425/2237,5/1120 mm	2200 kg	65kA	42kA
EF250_L250_25_2	2500A	2 x LS 2500A	2425/2237,5/1120 mm	2230 kg	65kA	66kA
EF250_L320_25_2	2500A	2 x LS 2500A	2425/2237,5/1120 mm	2240 kg	65kA	66kA
EF250_L362_25_2	2500A	2 x LS 2500A	2425/2237,5/1120 mm	2280 kg	65kA	66kA
EF250_L250_16_3	2500A	3 x LS 1600A	2425/2237,5/1120 mm	2200 kg	65kA	50kA

Mit 2 Leistungsschaltern

Artikel-Nr	Filter	Leistungsschalter	Maße B/H/T	Gewicht	Icw Filter	Icu Schalter
EF320_L320_16_2	3200A	2 x LS 1600A	2425/2237,5/1120 mm	2190 kg	65kA	50kA
EF320_L320_20_2	3200A	2 x LS 2000A	2425/2237,5/1120 mm	2230 kg	65kA	42kA
EF320_L400_20_2	3200A	2 x LS 2000A	2425/2237,5/1120 mm	2270 kg	65kA	42kA
EF320_L320_25_2	3200A	2 x LS 2500A	2425/2237,5/1120 mm	2320 kg	65kA	66kA
EF320_L400_25_2	3200A	2 x LS 2500A	2425/2237,5/1120 mm	2350 kg	65kA	66kA
EF320_L320_32_2	3200A	2 x LS 3200A	2425/2237,5/1120 mm	2360 kg	65kA	66kA
EF320_L400_32_2	3200A	2 x LS 3200A	2425/2237,5/1120 mm	2390 kg	65kA	66kA
































STEUERWICKLUNGEN 1-4







ANSICHT VON OBEN



ANSICHT VON UNTEN





LIVARSA AG Tunnelstrasse 5 (CH) 2540 Grenchen Tel. +41(0)32 517 95 05 info@livarsa.ch LIVARSA GmbH Im Fruchtfeld 17 (D) 77791 Berghaupten Tel. +49(0)7803 922 89 72 info@livarsa.de Vertriebs- / Elektroinstallationspartner